Argus PT

# Smart 2K 4MP Pan & Tilt Wire-Free Camera

- Person/Vehicle Detection
- Pan 355° & Tilt 140°
- 2K 4MP Super HD Day&Night
- Color Night Vision
- Battery/Solar Powered
- 5GHz/2.4GHz WiFi



# Anywhere, with Intelligence & Convenience

Small but smart, small but fully equipped. Bring this battery-powered camera to any places, and you get person/vehicle detection, color night vision, spotlight, two-way audio and, peace of mind.



#### Eco-Friendly and Cost-Saving

## Rechargeable Battery, or Solar Powered





#### **Dual-Band WiFi**



## **Two-way Audio**






## Survives the Rain, Snow and Wind

# **Flexible Wireless Setup** 2.4GHz/5GHz **Non-Stop** WiFi Connection Solar Power







#### Maximum Protection in 2K 4MP

You can monitor large areas with a single security camera. Its 2K 4MP high definition provides you with a clearer visual quality & smoother live viewing experience.





### **Super Fun Time Lapse**

Argus PT with time lapse makes it quicker and easier to capture the dynamic of long-term events like sun rising and flower blooming. Have fun shooting movie-like videos!







#### Smart PIR Motion Detection


# Get Instant & Accurate Motion Alerts

Adjust motion sensitivity and PIR schedule, making the camera smarter and getting yourself out of false alerts. The camera will immediately alert you in multiple ways when motion is detected, so that you can take prompt action.

- Push Notifications
  Instant alerts delivered right on your phone.
- Sent to you with real-time motion snapshots.
- Powerfully alarms you and deters intruders. Customizable with your own voice.







Not only an extra eye for you but also an ear and a mouth. You can live stream your home or business, hear what's happening and talk to your kid, your staff, or the mailman with the built-in mic and speaker. Get involved even when you're not there.

Available on






Download for macOS

Download for Windows







Customize the motion zone as you like, erasing unimportant areas and only allowing noteworthy matters to trigger recording and alerts.



Alexa

## Control Your Cameras, Hands-Free

As easy as saying "Hey Google, show me the backyard", you can check what's happening there on your Google Nest Hub or Chromecast-enabled TVs.

Find how to connect Reolink to Google Assistant >





# Flexible Storage Options

Use a micro SD card (up to 128GB) for local storage and later playback. You can also choose to store event videos in Reolink Cloud. Encrypted cloud storage takes care of your data security.



Choose the right micro SD card >



Check available countries or regions >



# What's in the box



**Argus PT** 



Reset Needle



Antenna



Pack of Screws




Bracket



**Quick Start Guide** 



Strap



**Mounting Template** 



**USB** Cable



Surveillance Sticker







Status LED

2 Lens

6 Built-In PIR Sensor

3 Daylight Sensor

Built-In Mic


4 6 IR LEDs







6 Reset Hole





	Mødel	Reolink Argus PT
Video & Audio	Image Sensor	1/3" CMOS Sensor
	Video Resolution	2560 x 1440 (4.0 megapixels) at 15 frames/sec
	Video Format	H.265
	Field of View	Fixed lens, 122° diagonal
	Infrared Night Vision	Up to 10 meters (33ft) (LED: 6pcs/14mil/850nm)
	Digital Zoom	lig., digital.zoom
	Audio	Two-way audio
PIR Detection & Alerts	Smart Alarm	PIR detection/human detection/vehicle detection
	PIR Detecting Distance	Adjustable up to 10m (33ft)
	PIR Detecting Angle	100° horizontal
	Audio Alert	Siren (Customizable)
	Recording	Motion triggered recording
	Other Alerts	Instant email alerts and push notifications
Wireless	Operating Frequency	2.4GHz/5GHz
	Wireless Standard	IEEE 802.1 La/b/g/n
	Wireless Security	WPA-PSK/WPA2-PSK
Pawer	Battery	6000mAh rechargeable battery (Battery life varies based on settings, usage & lemperature)
	Solar	Reolink Solar Panel
	DC Power	5V/2A USB power adaptor
Storage	Local Storage	Micro SD card slot (Max. 128GB)
	Cloud Storage	Supports Realink Cloud (Available in several countries)
Working Environment	Operating Temperature	-10°C to 55°C (14°F to 131°F)
	Weather Resistance	IP64 weatherproof
Size & Weight	Size	Ф98 х 112тт
	Weight (Battery Included)	470g (16.5 oz)
Warranty	Limited Warranty	2-year limited warranty. For support, visit https://support.reolink.com/hc/en-us





58.03.003.0190 DoC-202109-01

#### Δήλωση συμμόρφωσης ΕΕ (GR)

Manufacturer: REOLINK INNOVATION LIMITED

Address: FLAT/RM 705 7/F FA YUEN COMMERCIAL BUILDING 75-77 FA YUEN

STREET MONG KOK KL HONG KONG

Αυτή η δήλωση συμμόρφωσης εκδίδεται με αποκλειστική ευθύνη του κατασκευαστή και

ανήκει στο ακόλουθο προϊόν:

**Τύπος Προϊόντος**: WiFi IP Κάμερα

**Μοντέλο:** Reolink Argus PT

Το αντικείμενο της δήλωσης που περιγράφεται παραπάνω είναι σύμφωνο με τη σχετική

Νομοθεσία εναρμόνισης της Ένωσης:

- Radio Equipment Directive: 2014/53/EU

- RoHS Directive: 2011/65/EU

Έχουν εφαρμοστεί τα ακόλουθα εναρμονισμένα πρότυπα και τεχνικές προδιαγραφές:

Health	EN 62311:2008
	EN 50665:2017
EMC	EN 55032:2015/A11:2020
EIVIC	EN IEC 61000-3-2:2019
	EN 61000-3-3:2013/A1:2019
	EN 55035:2017/A11:2020
	ETSI EN 301 489-1 V2.2.3 (2019-11)
	ETSI EN 301 489-1 V2.1.1 (2019-03)
	ETSI EN 301 489-17 V3.2.4 (2020-09)
Radio	ETSI EN 300 328 V2.2.2 (2019-07)
	ETSI EN 301 893 V2.1.1 (2017-05)
	EN 300 440 V2.2.1 (2018-07)
RoHS	IEC 62321

Υπογράφηκε για και για λογαριασμό του: REOLINK INNOVATION LIMITED

**Τόπος έκδοσης**:Hong Kong **Ημερομηνία έκδοσης**: 15-9-2021

Όνομα: Wang aijun

Θέση: Τεχνικός διευθυντής

Υπογραφή:

Wong aijnn

58.03.003.0190 DoC-202203-01

#### **EU Declaration of Conformity (EN)**

Manufacturer: REOLINK INNOVATION LIMITED

Address: FLAT/RM 705 7/F FA YUEN COMMERCIAL BUILDING 75-77 FA YUEN

STREET MONG KOK KL HONG KONG

This declaration of conformity is issued under the sole responsibility of the manufacturer and belongs to the following product:

Product Type: WiFi IP Camera
Model: Reolink Argus PT

The object of the declaration described above is in conformity with the relevant Union harmonization legislation:

- Radio Equipment Directive: 2014/53/EU

- RoHS Directive: 2011/65/EU

The following harmonized standards and technical specifications have been applied:

Health	EN 62311:2008
	EN 50665:2017
EMC	EN 55032:2015/A11:2020
EMIC	EN IEC 61000-3-2:2019
	EN 61000-3-3:2013/A1:2019
	EN 55035:2017/A11:2020
	ETSI EN 301 489-1 V2.2.3 (2019-11)
	ETSI EN 301 489-1 V2.1.1 (2019-03)
	ETSI EN 301 489-17 V3.2.4 (2020-09)
Radio	ETSI EN 300 328 V2.2.2 (2019-07)
	ETSI EN 301 893 V2.1.1 (2017-05)
	EN 300 440 V2.2.1 (2018-07)
RoHS	IEC 62321

Signed for and on behalf of: REOLINK INNOVATION LIMITED

Place of issue: Hong Kong
Date of issue: 10-3-2022
Name: Wang aijun

**Position**: Technical Director

Signature:

Wong aijnn